INTERNATIONAL JOURNALS FOR THE SEWING INDUSTRY

THE SEWING INDUSTRIES ON THE SEWING INDUSTRIES.

Head Office: 16-11, Oizumigakuen-machi 5-chome, Nerima-ku, Tokyo 178-0061, Japan Tel: (03) 3867-5815 Fax: (03) 3867-5603 E-mail: jsn-intl@dd.iij4u.or.jp Website: www.jsn-intl.com

International

NOVEMBER 2016





4650 EV9@ UR1

AUTOMATIC LOOP SETTING UNIT



SPECIFICATIONS

Max Speed: 2.800 rpm No. of stitches: 1 to 999

Needle gauge: 20 to 80 mm

Loop width: 8 to 25 mm

Finished Loop: 32 to 85 mm

Sewing Area: 15 x 28 mm

New loop cutting device

New suction device

New electronic bobbin winder

New loop aligner developed for 3D loop



RESTYLED FEATURES:

- Double compensatory presser foot to increase the grip on the belt loop and avoid any movement.
- New top efficiency thread blowing device: no more wiper and no more parts to replace.
- Upgrade of loop cutting device: the device is controlled by software instead of pressure switch to improve the stability during the cutting.



THE FIRST AND ONLY APPROVED FOR 3D LOOP!







DISTRIBUTES













For info, write an email @ sales@vbm-grp.com

or contact vbm local branches @ the adresses: sales@vbm-ae.com (UAE) | sales@vbm-bd.com (BANGLADESH) sales@vbm-cn.com (CHINA) | sales@vbm-id.com (INDONESIA) | sales@vbm-in.com (INDIA Bangalore) sales.t1@vbm-in.com (INDIA Mumbai) | sales@vbm-jo.com (JORDAN) | sales@vbm-lk.com (SRILANKA) sales@vbm-pk.com (PAKISTAN) | sales@vbm-vn.com (VIETNAM)

VI.BE.MAC. Spa: Via Monte Pastello 7/1, 37057 S. Giovanni Lupatoto (VR) Italy - ph. +39 045 8778151/52 - www.vibemac.com

Vibemac's 4650 EV9@UP1 Automatic Belt Loop Setting Unit – 4650EV9R UPGRADE

Model 4650 EV9R has been upgraded. We are glad to present the NEW 4650EV9@UP1, even more efficient, even more powerful, even more durable.

The 4650 EV9 belongs to the 4650 EV series. This series is part of the technological development from the first loop setter, that was created by Vi.Be.Mac. in the 80's: the 1650 model was born over 30 years ago. In fact, Vi.Be.Mac boasts 35 years of history. Established in 1980, as a service centre of Singer Sewing Machines at first, already in the early 80's Vi.Be.Mac. started producing machines under its own brand. The focus was on few but essential aspects: constant and high quality, higher productivity, flexibility, reduced number of operators and low running costs. In fact, these aspects can be fully found in the new 4650 EV9, developed by Vi.Be.Mac. engineers, in order to offer an ideal solution for attaching belt loop on jeans, while constantly improving and updating some important features.

Better than its predecessor under each and every aspect, the 4650 EV9 is much more efficient. Equipped with a completely new 7" coloured touch screen panel which is totally user friendly (the easiest to use ever made), new presser foot, new 400W motor, and new software fully in house developed by Vi.Be.Mac. In fact, the bartack is fully customizable, and this allows to meet every fashion requirement. The new alignment system avoids the loop mispositioning on the fabric, expecially for the folded details (now always aligned). Thanks to an optional device (sold separately) the 4650EV9R can attach also double, sportswear and classic loop.

Also the electronic of the EV9 is completely new:

- the CPU assures a much better software management, top seam quality, very high precision, and more customizations and fashion options. In fact the bartack is FULLY customizable.
- the remote control to simply update your patterns. Now the preview of new patterns is visible on the
- the Auto-diagnostic system to avoid errors, with the Error History reporting, to easier supervise the unit condition.

The latest update of 4650EV9R is called 4650EV9@UP1 and it has been done to improve even more the performance of the machine.

To increase the grip on the belt loop and avoid any movement, the presser foot is now double compensa-



tory. The wiper has been replaced with a new top efficiency thread blowing device. This means more efficiency and no more parts to replace.

The loop cutting device has been updated. Now the device is controlled by software instead of pressure switch to improve the stability during the cutting.

In general, the belt-loop attaching process consists of several different steps, the preliminarily cutting of the belt-loop strips into pieces, the fold into the beltloop shape, and the sewing on the belt. Our Automatic Belt Loop Setter Units automatically perform these steps, the operator only has to place the garment on the sewing machine. This means increasing productivity, saving time, energy and money.

If all these amazing features have affected you, please do not hesitate to contact VBM at the address sales@vbm-grp.com, or please contact the local branches at the adresses sales@vbm-ae.com (UAE), sales@vbm-bd.com (BANGLADESH), sales@vbmcn.com (CHINA), sales@vbm-id.com (INDONESIA), sales@vbm-in.com (INDIA Bangalore), sales.t1@vbm-in.com (INDIA Mumbai), sales@vbmjo.com (JORDAN), sales@vbm-lk.com (SRILANKA), sales@vbm-pk.com (PAKISTAN), sales@vbmvn.com (VIETNAM).

To get more infos about Vi.Be.Mac. units, please visit our website www.vibemac.com, or check our youtube channel www.youtube.com/VIBEMACSpa, in order to see the machines at work in a real production line.

Circle # 53 on Reader Service Card